

Notice of Allowability

Application No.

10/814,801

Examiner

Sharon E. Kennedy

Applicant(s)

DIONNE ET AL.

Art Unit

1615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to RCE and new prior art submitted November 14, 2006.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 11/14/2006
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Drawings

The drawings filed on March 31, 2004 are acceptable to the examiner.

Allowable Subject Matter

Claims 1-24 are allowed.

The following is an examiner's statement of reasons for allowance: New prior art is cited for consideration before the examiner. There is another International Search Report dated July 28, 2006, containing additional references considered to be "X" type references, or, considered to anticipate claimed subject matter. Whether or not this search report has been conducted in reference to claims similar to those before the examiner is irrelevant, however, careful review of these references are necessary, paying particular attention to those passages considered pertinent by the European Examiner. The following comments are provided.

This application is directed to an osmotic pump having at least one vent formed through at least one wall defining a boundary of a reservoir. A semipermeable membrane is positioned to seal the vent, and the membrane is displaceable relative to the reservoir when a threshold pressure is reached. Claim 20 is broader in that the semipermeable membrane is broadened to a means for removably sealing the vent. This is an important aspect of the invention. The venting is seen in action in applicant's figure 4. Note that in that figure, the semipermeable membrane 22 displaced from the

Art Unit: 1615

reservoir 12 containing drug 14. This feature is important and is discussed in detail in applicant's published paragraphs [0005] and [0006].


All of the new prior art has been studied, with particular care and detail in regard to the portions referred to in the International Search Report. The features recited in applicant's claimed subject matter are neither shown nor suggested by the new prior art. Accordingly, the claims are again allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharon E. Kennedy whose telephone number is 571/272-4948. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward, can be reached on 571/272-8373.



Sharon E. Kennedy
Primary Examiner
Art Unit 1615